

Goldenstone GL-4 90

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 04/08/2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Product name : Goldenstone GL-4 90
 Product code : T001/02
 Type of product : Transmission oils,Lubricants
 Synonyms : Transmission oils
 Product group : Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
 Main use category : Consumer use,Professional use,
 Industrial/Professional use spec : Distribution
 Formulation & (re)packing of substances and mixtures
 Used in closed systems
 Transmission Oils.
 Use of the substance/mixture : Transmission Oils.
 Function or use category : Functional Fluids

1.2.2. Uses advised against

Restrictions on use : Comply with instructions for use (refer to technical sheet)

1.3. Details of the supplier of the safety data sheet

Goldenstone Europe APS
 Taarfalkevej 16
 2650 Hvidovre
 Copenhagen,Denmark.
 T +045 32 60 26 50
 info@goldenstoneoils.com - http://www.goldenstoneoils.com

1.4. Emergency telephone number

Emergency number : Unified emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, H319

Category 2

Hazardous to the aquatic environment H412

— Chronic Hazard, Category 3

Full text of hazard classes and H-statements : see section 16

Fluidclassified

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -
 Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.
 Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand
 P102 - Keep out of reach of children
 P273 - Avoid release to the environment
 P501 - Dispose of contents/container to hazardous or special waste collection point, in

Goldenstone GL-4 90

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EUH-statements : accordance with local, regional, national and/or international regulation
 : EUH208 - Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs, calcium salts(722503-68-6). May produce an allergic reaction
 : EUH210 - Safety data sheet available on request
 Security closing plug for children : Not applicable
 Tactile warning : Not applicable

2.3. Other hazards

Other hazards not contributing to the classification : None under normal conditions.
 PBT: not relevant – no registration required
 vPvB: not relevant – no registration required

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (REACH-no) 01-2119484627-25-0035; 01-2119484627-25-0025; 01-2119471299-27-0019	< 55	Expl. Not classified
Residual oils (petroleum), solvent-dewaxed	(CAS-No.) 64742-62-7 (EC-No.) 265-166-0 (REACH-no) 01-2119489287-22; 01-2119480472-38-0013; 01-2119480472-38-0004; 01-2119480472-38-0020	<45	Expl. Not classified
Amines, C12-14-tert-alkyl (Long chain alkyl amine)	(CAS-No.) 68955-53-3 (EC-No.) 273-279-1 (REACH-no) 01-2119456798-18	< 0.25	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:gas), H330 Skin Corr. 1B, H314 Skin Sens. 1A, H317 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Alkyl phosphate	(CAS-No.) - (EC-No.) Proprietary (REACH-no) 01-2119979550-30	< 0.25	Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Long chain alkenyl amine	(CAS-No.) - (EC-No.) Proprietary	< 0.1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Alkyl dithio thiazazole	(CAS-No.) 89347-09-1 (EC-No.) 289-493-3	< 0.1	Aquatic Chronic 3, H412

Comments : Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.
 Not available REACH number or substance is not currently required for registration under REACH

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person.
 First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. Get immediate medical advice/attention.

Goldenstone GL-4 90

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after skin contact	: Wash skin with plenty of water. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use
Symptoms/effects after inhalation	: May cause drowsiness or dizziness. May cause headache, nausea and irritation of respiratory tract.
Symptoms/effects after skin contact	: Contact during a long period may cause light irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: May cause slight irritation. redness, itching, tears.
Symptoms/effects after ingestion	: Toxic if swallowed. May cause drowsiness and loss of coordination. May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Thirst. Convulsions. Prompt treatment is essential to minimize damage.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream

5.2. Special hazards arising from the substance or mixture

Fire hazard	: In case of fire and/or explosion do not breathe fumes.
Hazardous decomposition products in case of fire	: Toxic fumes may be released

5.3. Advice for firefighters

Precautionary measures fire	: Eliminate all ignition sources if safe to do so. Evacuate area.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: On exposure to high temperature, may decompose, releasing toxic gases

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Clean up any spills as soon as possible, using an absorbent material to collect it. Eliminate every possible source of ignition.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing mist, vapours.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area. Stop release. Cover spill with non combustible material, e.g.: sand/earth. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

6.2. Environmental precautions

Avoid release to the environment

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing mist, vapours. Wear personal protective equipment
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated

Goldenstone GL-4 90

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Comply with applicable regulations. Use only non-sparking tools
Storage conditions	: Store in a well-ventilated place. Keep cool.
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.
Incompatible materials	: Sources of ignition

7.3. Specific end use(s)

Product information

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
EU	IOELV TWA (mg/m ³)	5 mg/m ³
EU	IOELV STEL (mg/m ³)	10 mg/m ³
Residual oils (petroleum), solvent-dewaxed (64742-62-7)		
EU	IOELV TWA (mg/m ³)	5 (mg/m ³)
EU	IOELV STEL (mg/m ³)	10 (mg/m ³)

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Gloves. Protective clothing. Protective goggles.

Hand protection:

protective gloves: neoprene gloves, PVA. Chemical resistant PVC gloves (to European standard EN 374 or equivalent). EN 420

Eye protection:

Safety glasses. EN 166. EN 168

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. EN 405



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: brown
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: -15 °C
Boiling point	: > 315 °C
Flash point	: 224 °C
Auto-ignition temperature	: > 315 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: < 10 Pa
Relative vapour density at 20 °C	: > 1
Relative density	: No data available
Density	: 0.889 g/ml

Goldenstone GL-4 90

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Solubility	: Soluble in most organic solvents
Log Pow	: No data available
Viscosity, kinematic	: 220 cSt @40°C
Viscosity, dynamic	: No data available
Explosive properties	: Not applicable.
Oxidising properties	: Not applicable.
Explosive limits	: No data available

9.2. Other information

Other properties : Material is hygroscopic.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
LD50 oral rat	> 5000 mg/kg bodyweight (OECD 401 method)
LD50 dermal rabbit	> 2000 mg/kg bodyweight (OECD 402 method)
LD50 dermal rabbit	> 5 mg/l/4h (OECD 403 method)
Residual oils (petroleum), solvent-dewaxed (64742-62-7)	
LD50 oral rat	> 5000 mg/kg bodyweight (OECD 401 method)
LD50 dermal rabbit	> 2000 mg/kg bodyweight (OECD 402 method)
LC50 inhalation rat (mg/l)	≈ 5 mg/l/4h (OECD 403 method)
Amines, C12-14-tert-alkyl (Long chain alkyl amine) (68955-53-3)	
LD50 oral rat	612 mg/kg
LD50 dermal rat	251 mg/kg
LC50 inhalation rat (ppm)	157 ppm/4h
Long chain alkenyl amine (-)	
LD50 oral rat	1689 mg/kg

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP
Carcinogenicity	: This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP
Reproductive toxicity	: This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP
Reproductive toxicity	: This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified

Goldenstone GL-4 90

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Goldenstone GL-4 90	
Viscosity, kinematic	220 mm ² /s @40°C

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology – general : Harmful to aquatic life with long lasting effects

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
LC50 fish 1	> 100 mg/l (OECD 203 method)
EC50 Daphnia 1	> 10000 mg/l (OECD 202 method)
EC50 72h algae (1)	> 1000 mg/l (OECD 201 method)
NOEL, aquatic invertebrates, Chronic	< 1 mg/l (21 days, (OECD 211 method))
NOEL, algae, Chronic	> 100 mg/l (72 Hours, (OECD 201 method))
NOEL, microorganisms, Chronic	> 1.93 mg/l (10 minutes, DIN 38412)
NOEL, daphnia, Chronic	> 10 mg/l (21 days)
Residual oils (petroleum), solvent-dewaxed (64742-62-7)	
LC50 fish 1	> 100 mg/l (OECD 203 method)
EC50 Daphnia 1	> 10000 mg/l (OECD 202 method)
EC50 72h algae (1)	> 1000 mg/l (OECD 201 method)
NOEL, aquatic invertebrates,	Chronic < 1 mg/l (21 days, (OECD 211 method))
NOEL, algae, Chronic	> 100 mg/l (72 Hours, (OECD 201 method))
NOEL, microorganisms, Chronic	> 1.93 mg/l (10 minutes, DIN 38412)
NOEL, daphnia, Chronic	> 10 mg/l (21 days)
LC50 fish 1	> 100 mg/l (OECD 203 method)
Long chain alkenyl amine (-)	
LC50 fish 1	0.11 mg/l
EC50 Daphnia 1	0.011 mg/l
EC50 72h algae (1)	0.03 mg/l

12.2. Persistence and degradability

Goldenstone GL-4 90	
Persistence and degradability	Not readily biodegradable, according to appropriate OECD test due to properties of several components
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Persistence and degradability	Not readily biodegradable, according to appropriate OECD test due to properties of several components.
Biodegradation	< 32 % (OECD 301B method)
D Residual oils (petroleum), solvent-dewaxed (64742-62-7)	
Persistence and degradability	Not readily biodegradable, according to appropriate OECD test due to properties of several components.
Biodegradation	< 32 % (OECD 301B method)

12.3. Bioaccumulative potential

Goldenstone GL-4 90	
Bioaccumulative potential	Bioaccumulative potential
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Log Kow	3.5 - 6 Moderately bioaccumulative
Residual oils (petroleum), solvent-dewaxed (64742-62-7)	
Log Kow	3.5 - 6 Moderately bioaccumulative

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Goldenstone GL-4 90	
PBT: not relevant – no registration required	
vPvB: not relevant – no registration required	
Component	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	PBT: not relevant – no registration required vPvB: not relevant – no registration required
Residual oils (petroleum), solvent-dewaxed (64742-62-7)	PBT: not relevant – no registration required vPvB: not relevant – no registration required

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Goldenstone GL-4 90

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions. Empty containers should be taken for recycling, recovery or waste in accordance with local Regulation
Sewage disposal recommendations	: Disposal must be done according to official regulations
Product/Packaging disposal recommendations	: Avoid release to the environment
European List of Waste (LoW) code	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: Not regulated
UN-No. (IMDG)	: Not regulated
UN-No. (IATA)	: Not regulated
UN-No. (ADN)	: Not regulated
UN-No. (RID)	: Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not regulated
Proper Shipping Name (IMDG)	: Not regulated
Proper Shipping Name (IATA)	: Not regulated
Proper Shipping Name (ADN)	: Not regulated
Proper Shipping Name (RID)	: Not regulated

14.3. Transport hazard class(es)

ADR	
Transport hazard class(es) (ADR)	: Not regulated
IMDG	
Transport hazard class(es) (IMDG)	: Not regulated
IATA	
Transport hazard class(es) (IATA)	: Not regulated
ADN	
Transport hazard class(es) (ADN)	: Not regulated
RID	
Transport hazard class(es) (RID)	: Not regulated

14.4. Packing group

Packing group (ADR)	: Not regulated
Packing group (IMDG)	: Not regulated
Packing group (IATA)	: Not regulated
Packing group (ADN)	: Not regulated
Packing group (RID)	: Not regulated

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

Not regulated

- Transport by sea

Not regulated

- Air transport

Not regulated

- Inland waterway transport

Not regulated

- Rail transport

Not regulated

Goldenstone GL-4 90

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Amines, C12-14-tert-alkyl (Long chain alkyl amine) - Long chain alkenyl amine - Alkyl phosphate
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Prista GL-4 90 - Amines, C12-14-tert-alkyl (Long chain alkyl amine) - Long chain alkenyl amine - Alkyl dithio thiazazole - Alkyl phosphate

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
BCF	Bioconcentration factor
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
vPvB	Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Other information : None.

Full text of H- and EUH-statements:

Acute Tox. 2 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Expl. Not classified	Explosive Not classified
Eye Dam. 1	Serious eye damage/eye irritation, Category 1

Goldenstone GL-4 90

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H330	Fatal if inhaled
H335	May cause respiratory irritation
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
EUH208	Contains . May produce an allergic reaction
EUH210	Safety data sheet available on request

SDS EU (REACH Annex II) Goldenstone

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product