

# Goldenstone Antifreeze Long Life

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 04/08/2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Mixture
Product name	: Goldenstone Antifreeze Long Life
Product code	: TA004/01
Type of product	: Antifreeze
Synonyms	: Antifreeze
Product group	: Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use, Professional use

Industrial/Professional use spec : Distribution  
Formulation & (re)packing of substances and mixtures

Function or use category : Functional Fluids  
Anti-freezing agent

##### 1.2.2. Uses advised against

Restrictions on use : Comply with instructions for use (refer to technical sheet)

#### 1.3. Details of the supplier of the safety data sheet

Goldenstone Europe APS  
Taarfalkevej 16  
2650 Hvidovre  
Copenhagen, Denmark.  
T +045 32 60 26 50  
info@goldenstoneoils.com - <http://www.goldenstoneoils.com>

#### 1.4. Emergency telephone number

Emergency number : Unified emergency number: 112

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302

Reproductive toxicity, Category 2 H361

Specific target organ toxicity – H373

Repeated exposure, Category 2

Full text of hazard classes and H-statements : see section 16

##### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

# Goldenstone Antifreeze Long Life

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard pictograms (CLP)



GHS07



GHS08

Signal word (CLP)

: Warning

Hazardous ingredients

: ethanediol, ethylene glycol

Hazard statements (CLP)

: H302 - Harmful if swallowed.  
H373 - May cause damage to organs (kidneys, liver, central nervous system) through prolonged or repeated exposure.

Precautionary statements (CLP)

: P101 - If medical advice is needed, have product container or label at hand  
P102 - Keep out of reach of children  
P103 - Read label before use.  
P260 - Do not breathe vapours  
P264 - Wash hands thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P280 - Wear protective gloves, eye protection  
P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P330 - Rinse mouth  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

EUH-statements

: EUH210 - Safety data sheet available on request

Security closing plug for children

: Not applicable

Tactile warning

: Not applicable

### 2.3. Other hazards

PBT: not relevant - no registration required

vPvB: not relevant - no registration required

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanediol, ethylene glycol	(CAS-No.) 107-21-1 (EC-No.) 203-473-3 (REACH-no) 01-2119456816-28	< 98	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
Sodium 2-ethylhexanoate	(CAS-No.) 19766-89-3 (EC-No.) 243-283-8	3.75 - 7.5	Repr. 2, H361d
Methyl-1H-benzotriazole	(CAS-No.) 29385-43-1 (EC-No.) 249-596-6 (REACH-no) 01-2119979081-35	< 0.1	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411

Comments

: Not available REACH number or substance is not currently required for registration under REACH

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general

: Call a poison center or a doctor if you feel unwell. Never give anything by mouth to an unconscious person.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. Get immediate medical advice/attention.

First-aid measures after skin contact

: Wash skin with plenty of water. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact

: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

: Call a poison center or a doctor if you feel unwell

# Goldenstone Antifreeze Long Life

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: May be fatal if swallowed and enters airways
Symptoms/effects after inhalation	: May cause drowsiness or dizziness. May cause headache, nausea and irritation of respiratory tract.
Symptoms/effects after skin contact	: Contact during a long period may cause light irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: May cause slight irritation. redness, itching, tears.
Symptoms/effects after ingestion	: Toxic if swallowed. May cause drowsiness and loss of coordination. May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Thirst. Convulsions. Prompt treatment is essential to minimize damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: In case of fire and/or explosion do not breathe fumes.
Hazardous decomposition products in case of fire	: Toxic fumes may be released

### 5.3. Advice for firefighters

Precautionary measures fire	: Eliminate all ignition sources if safe to do so. Evacuate area.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: On exposure to high temperature, may decompose, releasing toxic gases

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing mist, vapours.

#### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area. Stop release. Cover spill with non combustible material, e.g.: sand/earth. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

### 6.2. Environmental precautions

Avoid release to the environment

### 6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep cool.
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.
Incompatible materials	: Sources of ignition

### 7.3. Specific end use(s)

Product information

# Goldenstone Antifreeze Long Life

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

ethanediol, ethylene glycol (107-21-1)		
EU	Local name	Ethylene glycol
EU	IOELV TWA (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	20 ppm
EU	IOELV STEL (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup>
EU	IOELV STEL (ppm)	40 ppm
EU	Notes	Skin
ethanediol, ethylene glycol (107-21-1) DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	106 mg/cm <sup>2</sup>	
Long-term - systemic effects, inhalation	35 mg/m <sup>3</sup>	
DNEL/DMEL (General population)		
Long-term - systemic effects, dermal	53 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	7 mg/m <sup>3</sup>	
PNEC (Water)		
PNEC aqua (freshwater)	10 mg/l	
PNEC aqua (marine water)	1 mg/l	
PNEC aqua (intermittent, freshwater)	10 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	20.9 mg/kg dwt	
PNEC (Soil)		
PNEC soil	1.53 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	199.5 mg/l	
Methyl-1H-benzotriazole (29385-43-1) DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	0.5 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	8.8 mg/m <sup>3</sup>	
DNEL/DMEL (General population)		
Long-term - systemic effects, oral	0.25 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	4.4 mg/m <sup>3</sup>	
Long-term - systemic effects, dermal	0.25 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.008 mg/l	
PNEC aqua (marine water)	0.008 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	0.0025 mg/kg dwt	
PNEC sediment (marine water)	0.0025 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.0024 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	39.4 mg/l	

#### 8.2. Exposure controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

##### Personal protective equipment:

Gloves. Protective clothing. Protective goggles.

##### Hand protection:

protective gloves: neoprene gloves, PVA. Chemical resistant PVC gloves (to European standard EN 374 or equivalent). EN 420

##### Eye protection:

Safety glasses. EN 166. EN 168

##### Skin and body protection:

Wear suitable protective clothing

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. EN 405



##### Environmental exposure controls:

Avoid release to the environment.

# Goldenstone Antifreeze Long Life

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: red.
Odour	: sligh
Odour threshold	: No data available
pH	: No data available
pH solution	: 8.4 @ 50%
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: -15 °C
Boiling point	: > 163 °C
Flash point	: > 115 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: < < 0.06 mm Hg @20°C
Relative vapour density at 20 °C	: > 2
Relative density	: No data available
Density	: 1.12 g/ml
Solubility	: Soluble in water
Log Pow	: No data available
Log Kow	: -1.36 not bioaccumulable
Viscosity, kinematic	: 2.4 cSt @40°C
Viscosity, dynamic	: No data available
Explosive properties	: Not applicable.
Oxidising properties	: Not applicable.
Explosive limits	: No data available

#### 9.2. Other information

Other properties : Material is hygroscopic.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport

#### 10.2. Chemical stability

Stable under normal conditions

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed

ATE CLP (oral)	541.1255411255 mg/kg bodyweight
<b>ethanediol, ethylene glycol (107-21-1)</b>	
LD50 oral rat	7712 mg/kg (OECD 401 method)
LD50 oral	1.4 ml/kg Animals

# Goldenstone Antifreeze Long Life

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 dermal rat	> 3500 mg/kg (OECD 402 method)
LD50 dermal rabbit	10600 mg/kg (OECD 402 method)
LC50 inhalation rat (mg/l)	> 2.5 mg/l/4h (OECD 403 method)
LC, Effects on humans, acute, oral, central nervous system	100 ml
<b>Methyl-1H-benzotriazole (29385-43-1)</b>	
LD50 oral rat	720 mg/kg (OECD 401 method)
LD50 dermal rabbit	> 2000 mg/kg (OECD 402 method)

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: When administered to pregnant rats by gavage or in drinking water, 2-EXA caused teratogenicity (birth defects) and delayed postnatal development of the pups. Additionally, 2-EXA impaired female fertility in rats. (Conclusive but not sufficient for classification)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Ethylene Glycol. May cause kidney and liver disease, and disorders of the central nervous system
Additional information	: 2-Ethylhexanoic acid (2-EXA) caused an increase in liver size and enzyme levels when repeatedly administered to rats via the diet

<b>ethanediol, ethylene glycol (107-21-1)</b>	
LOAEL (oral, rat, 90 days)	200 mg/kg bodyweight/day (OECD 407 method)
<b>Sodium 2-ethylhexanoate (19766-89-3)</b>	
NOAEL (oral, rat, 90 days)	446 mg/kg bodyweight/day
NOAEL (oral, rat, 90 days)	100 - 600 mg/kg bodyweight/day (OECD 414 method)

Aspiration hazard : Not classified

<b>Goldenstone Antifreeze Long Life</b>	
Viscosity, kinematic	22 mm <sup>2</sup> /s @40°C

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

<b>ethanediol, ethylene glycol (107-21-1)</b>	
LC50 fish 1	>= 40761 mg/l (OECD 203 method)
LC50 fish 2	>= 72860 mg/l (OECD 203 method)
EC50 Daphnia 1	> 100 mg/l I (OECD 202 method)
EC50 72h algae (1)	9500 - 13000 mg/l (OECD 201 method)
NOEC chronic algae	15380 62.5 mg/l
<b>Methyl-1H-benzotriazole (29385-43-1)</b>	
LC50 fish 1	180 mg/l (OECD 203 method)
LC50 fish 2	55 mg/l (OECD 201 method)
EC50 Daphnia 1	10000 mg/l (OECD 202 method)
EC50 Daphnia 2	55 mg/l (OECD 202 method)
EC50 72h algae (1)	53 mg/l (OECD 203 method)

### 12.2. Persistence and degradability

<b>Goldenstone Antifreeze Long Life</b>	
Persistence and degradability	Readily biodegradable
<b>ethanediol, ethylene glycol (107-21-1)</b>	

# Goldenstone Antifreeze Long Life

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Persistence and degradability	Readily biodegradable
Biodegradation	> 94 % (OECD 301B method)
<b>Methyl-1H-benzotriazole (29385-43-1)</b>	
Persistence and degradability	Readily biodegradable.
Biodegradation	> 85 % (OECD 302B method)

### 12.3. Bioaccumulative potential

<b>Goldenstone Antifreeze Long Life</b>	
Log Kow	-1.36 not bioaccumulable
<b>ethanediol, ethylene glycol (107-21-1)</b>	
Log Kow	-1.36 not bioaccumulable
Bioaccumulative potential	not bioaccumulable.
<b>Methyl-1H-benzotriazole (29385-43-1)</b>	
BCF fish 1	0
BCF fish 2	2.4 l/kg

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

<b>Goldenstone Antifreeze Long Life</b>	
PBT: not relevant - no registration required	
vPvB: not relevant - no registration required	
<b>Component</b>	
ethanediol, ethylene glycol (107-21-1)	PBT: not relevant - no registration required vPvB: not relevant - no registration required

### 12.6. Other adverse effects

No additional information available :

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.  
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.  
European List of Waste (LoW) code : 16 01 14\* - antifreeze fluids containing dangerous substances

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : Not regulated  
UN-No. (IMDG) : Not regulated  
UN-No. (IATA) : Not regulated  
UN-No. (ADN) : Not regulated  
UN-No. (RID) : Not regulated

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated  
Proper Shipping Name (IMDG) : Not regulated  
Proper Shipping Name (IATA) : Not regulated  
Proper Shipping Name (ADN) : Not regulated  
Proper Shipping Name (RID) : Not regulated

### 14.3. Transport hazard class(es)

ADR  
Transport hazard class(es) (ADR) : Not regulated  
IMDG  
Transport hazard class(es) (IMDG) : Not regulated  
IATA  
Transport hazard class(es) (IATA) : Not regulated  
ADN

# Goldenstone Antifreeze Long Life

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport hazard class(es) (ADN) : Not regulated

RID

Transport hazard class(es) (RID) : Not regulated

### 14.4. Packing group

Packing group (ADR) : Not regulated

Packing group (IMDG) : Not regulated

Packing group (IATA) : Not regulated

Packing group (ADN) : Not regulated

Packing group (RID) : Not regulated

### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Not regulated

#### - Transport by sea

Not regulated

#### - Air transport

Not regulated

#### - Inland waterway transport

Not regulated

#### - Rail transport

Not regulated

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Prista ANTIFREEZE - ethanediol, ethylene glycol - Methyl-1H benzotriazole
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Methyl-1H-benzotriazole

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Indication of changes:

Exposure controls/personal protection.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
BCF	Bioconcentration factor
DMEL	Derived Minimal Effect level



# Goldenstone Antifreeze Long Life

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

DNEL	Derived-No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
vPvB	Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Other information : None.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Repr. 2	Reproductive toxicity, Category 2
STOT RE 2	STOT RE 2
H302	Harmful if swallowed
H361	Suspected of damaging fertility or the unborn child.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure
H411	Harmful to aquatic life with long lasting effects
EUH210	Safety data sheet available on request

SDS EU (REACH Annex II) Goldenstone

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*